

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.1	TOTTCH00	TOTAL HEALTH CARE CHARGES 00, EXCL. RX	Sum of (DVTC00X from DVIS records) + (OMTC00X from OMED records) + (OPFTC00X + OPDTC00X from OPAT records) + (ERFTC00X + ERDTC00X from EROM records) + (IPFTC00X + IPDTC00X from STAZ records) + (HPTC00X + HATC00X from HVIS records) + (OBTC00X from MVIS records)	19008	19008	958018976572.75	958012668292.42	4208.68	4208.65
0.2	TOTEXP00X	TOTAL HEALTH CARE EXP 00	Sum of (DVXP00X from DVIS records) + (OMXP00X from OMED records) + (OPFXP00X + OPDXP00X from OPAT records) + (ERFXP00X + ERDXP00X from EROM records) + (IPFXP00X + IPDXP00X from STAZ records) + (HPXP00X + HAXP00X from HVIS records) + (OBXP00X from MVIS records) + (RXXP00X from PMED records)	19380	19380	627896909055.83	627892596460.23	2700.28	2700.26

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.3	TOTSLF00	TOTAL AMT PAID BY SELF/FAMILY 00	Sum of (DVSF00X from DVIS records) + (OMSF00X from OMED records) + (OPFSF00X + OPDSF00X from OPAT records) + (ERFSF00X + ERDSF00X from EROM records) + (IPFSF00X + IPDSF00X from STAZ records) + (HPSF00X + HASF00X from HVIS records) + (OBSF00X from MVIS records) + (RXSF00X from PMED records)	17726	17738	121630354467.63	121626844262.09	562.12	561.81
0.4	TOTMCR00	TOTAL AMT PAID BY MEDICARE 00	Sum of (DVMR00X from DVIS records) + (OMMR00X from OMED records) + (OPFMR00X + OPDMR00X from OPAT records) + (ERFMR00X + ERDMR00X from EROM records) + (IPFMR00X + IPDMR00X from STAZ records) + (HPMR00X + HAMR00X from HVIS records) + (OBMR00X from MVIS records) + (RXMR00X from PMED records)	2988	2988	131224548673.64	131224242132.42	3683.98	3683.97

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.5	TOTMCD00	TOTAL AMT PAID BY MEDICAID 00	Sum of (DVMD00X from DVIS records) + (OMMD00X from OMED records) + (OPFMD00X + OPDMD00X from OPAT records) + (ERFMD00X + ERDMD00X from EROM records) + (IPFMD00X + IPDMD00X from STAZ records) + (HPMD00X + HAMD00X from HVIS records) + (OBMD00X from MVIS records) + (RXMD00X from PMED records)	3259	3261	61361008258.79	61360684622.66	1957.06	1955.18
0.6	TOTPRV00	TOTAL AMT PAID BY PRIVATE INS 00	Sum of (DVPV00X from DVIS records) + (OMPV00X from OMED records) + (OPFPV00X + OPDPV00X from OPAT records) + (ERFPV00X + ERDPV00X from EROM records) + (IPFPV00X + IPDPV00X from STAZ records) + (HPPV00X + HAPV00X from HVIS records) + (OBPV00X from MVIS records) + (RXPV00X from PMED records)	12396	12405	252813462124.95	252811137085.88	1570.51	1569.57

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.7	TOTVA00	TOTL AMT PAID BY VA 00	Sum of (DVVA00X from DVIS records) + (OMVA00X from OMED records) + (OPFVA00X + OPDVA00X from OPAT records) + (ERFVA00X + ERDVA00X from EROM records) + (IPFVA00X + IPDVA00X from STAZ records) + (HPVA00X + HAVA00X from HVIS records) + (OBVA00X from MVIS records) + (RXVA00X from PMED records)	966	973	22476423748.26	22475621470.63	1853.60	1839.22
0.8	TOTTRI00	TOTL AMT PAID BY TRICARE	Sum of (DVTR00X from DVIS records) + (OMTR00X from OMED records) + (OPFTR00X + OPDTR00X from OPAT records) + (ERFTR00X + ERDTR00X from EROM records) + (IPFTR00X + IPDTR00X from STAZ records) + (HPTR00X + HATR00X from HVIS records) + (OBTR00X from MVIS records) + (RXTR00X from PMED records)	178	178	1474326594.96	1474407576.90	717.92	717.96

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.9	TOTOFD00	TOTL AMT PAID BY OTHER FEDERAL 00	Sum of (DVOF00X from DVIS records) + (OMOF00X from OMED records) + (OPFOF00X + OPDOF00X from OPAT records) + (ERFOF00X + ERDOF00X from EROM records) + (IPFOF00X + IPDOF00X from STAZ records) + (HPOF00X + HAOF00X from HVIS records) + (OBOF00X from MVIS records) + (RXOF00X from PMED records)	206	206	2682884771.09	2682686850.37	1101.53	1101.44
0.10	TOTSTL00	TOTL AMT PAID BY OTH ST/LOCAL 00	Sum of (DVSL00X from DVIS records) + (OMSL00X from OMED records) + (OPFSL00X + OPDSL00X from OPAT records) + (ERFSL00X + ERDSL00X from EROM records) + (IPFSL00X + IPDSL00X from STAZ records) + (HPSL00X + HASL00X from HVIS records) + (OBSL00X from MVIS records) + (RXSL00X from PMED records)	415	415	2993988826.54	2993949463.82	708.29	708.28

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.11	TOTWCP00	TOTL AMT PAID BY WORKERS COMP 00	Sum of (DVWC00X from DVIS records) + (OMWC00X from OMED records) + (OPFWC00X + OPDWC00X from OPAT records) + (ERFWC00X + ERDWC00X from EROM records) + (IPFWC00X + IPDWC00X from STAZ records) + (HPWC00X + HAWC00X from HVIS records) + (OBWC00X from MVIS records) + (RXWC00X from PMED records)	633	633	11196663734.84	11196671136.47	1561.47	1561.47
0.12	TOTOPR00	TOTL AMT PAID BY OTHER PRIVATE 00	Sum of (DVOR00X from DVIS records) + (OMOR00X from OMED records) + (OPFOR00X + OPDOR00X from OPAT records) + (ERFOR00X + ERDOR00X from EROM records) + (IPFOR00X + IPDOR00X from STAZ records) + (HPOR00X + HAOR00X from HVIS records) + (OBOR00X from MVIS records) + (RXOR00X from PMED records)	1182	1184	11122339213.40	11121951278.49	827.41	826.45

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
0.13	TOTOPU00	TOTL AMT PAID BY OTHER PUBLIC 00	Sum of (DVOU00X from DVIS records) + (OMOU00X from OMED records) + (OPFOU00X + OPDOU00X from OPAT records) + (ERFOU00X + ERDOU00X from EROM records) + (IPFOU00X + IPDOU00X from STAZ records) + (HPOU00X + HAOU00X from HVIS records) + (OBOU00X from MVIS records) + (RXOU00X from PMED records)	276	276	3854497375.91	3854444819.38	1542.17	1542.15
0.14	TOTOSR00	TOTL AMT PAID OTHR UNCLASS SOURCES 00	Sum of (DVOT00X from DVIS records) + (OMOT00X from OMED records) + (OPFOT00X + OPDOT00X from OPAT records) + (ERFOT00X + ERDOT00X from EROM records) + (IPFOT00X + IPDOT00X from STAZ records) + (HPOT00X + HAOT00X from HVIS records) + (OBOT00X from MVIS records) + (RXOT00X from PMED records)	792	793	5070327096.28	5069955761.11	538.05	537.73

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.0	OBTOTV00	# OFFICE-BASED PROVIDER VISITS 00	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9)	16313	16313	1222105911.96	1222105911.96	6.25	6.25
1.1	OBVTCH00	OFFICE-BASED PROVIDER VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	16305	16305	205383808224.34	205380094548.89	1051.46	1051.45
1.2	OBVEXP00	TOTAL OFFICE- BASED EXP 00	Sum of OBXP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	15932	15933	125946207529.92	125944385269.32	657.37	657.35
1.3	OBVSLF00	ALL OFFICE VISITS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	12286	12290	22435382982.16	22434810907.64	146.04	146.02
1.4	OBVMCR00	ALL OFFICE VISITS - MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	2659	2659	21099849603.73	21099872045.20	664.07	664.07
1.5	OBVMCD00	ALL OFFICE VISITS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	2347	2351	7286159461.80	7286006461.61	330.92	330.36
1.6	OBVPRV00	ALL OFFICE VISITS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	10051	10054	60708459310.05	60706728458.64	464.92	464.74
1.7	OBVVA00	ALL OFFICE VISITS-VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	441	449	3065080223.63	3064779099.04	561.40	551.04

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
1.8	OBVTRI00	ALL OFFICE VISITS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	103	103	401356859.12	401342166.13	350.41	350.40
1.9	OBVOFD00	ALL OFFICE VISITS-OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	145	145	656545170.29	656452973.46	396.05	395.99
1.10	OBVSTL00	ALL OFFICE VISITS-OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	172	172	795774680.83	795734170.19	470.53	470.50
1.11	OBVWCP00	ALL OFFICE VISITS - WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	458	458	3950287821.45	3950240439.53	773.36	773.35
1.12	OBVOPR00	ALL OFFICE VISITS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	785	785	2454249685.07	2454061541.76	274.04	274.02
1.13	OBVOPU00	ALL OFFICE VISITS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	152	152	453403287.32	453373382.81	373.58	373.56
1.14	OBVOSR00	ALL OFF VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9)	477	477	2641152586.96	2640983623.31	490.40	490.37
2.0	OBDRV00	# OFFICE-BASED PHYSICIAN VISITS, 1009	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	15470	15470	883165775.44	883165775.44	4.76	4.76

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.1	OBDTCH00	OFFICE-BASED PHYSICIAN VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	15460	15460	161046790695.19	161043436125.21	869.46	869.45
2.2	OBDEXP00	TOTAL OFF- BASED DR EXP 00	Sum of OBXP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	15115	15116	96855807284.54	96854082075.02	532.61	532.59
2.3	OBDSLFO0	DR OFFICE VISITS -SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	11509	11513	16290237612.17	16289829541.02	113.47	113.45
2.4	OBDMCR00	DR OFFICE VISITS -MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	2594	2594	16416718740.10	16416752073.09	531.13	531.13
2.5	OBDMCD00	DR OFFICE VISITS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	2185	2190	5829883481.02	5829785268.98	286.30	285.60
2.6	OBDPRV00	DR OFFICE VISITS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	9595	9598	47598278082.56	47596835597.87	382.02	381.86
2.7	OBDVA00	DR OFFICE VISITS -VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	380	387	2176520140.26	2176262848.05	469.08	460.31

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
2.8	OBDTRI00	DR OFFICE VISITS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	94	94	343863465.53	343851096.77	327.83	327.82
2.9	OBD OFD00	DR OFFICE VISITS -OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	133	133	463643520.27	463577922.17	307.35	307.30
2.10	OBDSTL00	DR OFFICE VISITS -OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	149	149	424330730.30	424302300.50	291.12	291.10
2.11	OBDWCP00	DR OFFICE VISITS -WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	424	424	2791839285.96	2791779502.49	585.73	585.72
2.12	OBDOPR00	DR OFFICE VISITS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	752	752	2166451702.93	2166330304.50	251.77	251.75
2.13	OBDOPU00	DR OFFICE VISITS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	135	135	310612302.61	310577972.40	289.79	289.76
2.14	OBDOSR00	DR OFF VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC=1	362	362	2044275444.02	2044197647.20	494.88	494.86

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.0	OBOHV00	# OFFICE-BASED NON-PHYSICAN VISITS 00	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	5132	5132	330262221.83	330262221.83	5.04	5.04
3.1	OBOTCH00	OFFICE-BASED NON-DR VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	5108	5108	42831394910.22	42830620860.01	656.28	656.27
3.2	OBOEXP00	TOTAL OFF- BASED NON-DR EXP 00	Sum of OBXP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	4844	4844	28148081661.15	28147380651.07	452.22	452.21
3.3	OBOSLF00	NON-DR OFF VISTS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	3090	3090	5882468203.29	5882288185.77	142.79	142.78
3.4	OBOMCR00	NON-DR OFF VISTS -MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	841	841	4583201173.41	4583074595.52	431.40	431.39

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.5	OBOMCD00	NON-DR OFF VISTS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	486	486	1431912658.16	1431697120.57	272.92	272.88
3.6	OBOPRV00	NON-DR OFF VISTS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	2758	2760	12584830071.03	12584460637.55	341.26	340.95
3.7	OBOVA00	NON-DR OFF VISTS -VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	117	119	887641749.68	887542568.54	533.94	529.82
3.8	OBOTRI00	NON-DR OFF VISTS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	29	29	57510134.13	57491069.37	152.77	152.72

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.9	OBOOFD00	NON-DR OFF VISTS -OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	33	33	191823474.79	191809639.00	451.47	451.44
3.10	OBOSTL00	NON-DR OFF VISTS -OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	47	47	370732927.27	370722274.17	763.96	763.94
3.11	OBOWCP00	NON-DR OFF VISTS -WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	95	95	1135949938.99	1135940630.71	1055.79	1055.78
3.12	OBOOPR00	NON-DR OFF VISTS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	136	136	285986448.93	285878071.76	168.51	168.44

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
3.13	OBOOPU00	NON-DR OFF VISTS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	37	37	142792603.19	142795410.41	444.13	444.14
3.14	OBOOSR00	NON-DR OF VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and [SEEDOC = 2 or (SEEDOC = (-7, -8 or -9) and MEDPTYPE > 0)]	157	158	593695321.91	593680447.70	320.36	319.27
4.0	OBCHIR00	# OFFICE-BASED CHIROPRACTOR VISITS 00	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	616	616	73060491.27	73060491.27	8.80	8.80
4.1	OBCTCH00	OFFICE-BASED CHIRO VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	616	616	5010051135.19	5010030360.78	603.36	603.35
4.2	OBCEXP00	TOTAL OFF- BASED CHIRO EXP 00	Sum of OBXP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	594	594	3804294241.09	3804290152.44	479.77	479.77

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.3	OBCSLF00	CHIRO OFF VISITS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	475	475	1364514202.77	1364485323.67	210.96	210.95
4.4	OBCMCR00	CHIRO OFF VISITS - MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	42	42	289814312.27	289806231.50	521.42	521.40
4.5	OBCMCD00	CHIRO OFF VISITS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	13	13	59467688.48	59449960.53	330.08	329.98
4.6	OBCPRV00	CHIRO OFF VISITS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	310	310	1576800778.31	1576804433.19	364.38	364.38
4.7	OBCVA00	CHIRO OFF VISITS -VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	12	12	40977229.21	40960402.09	233.93	233.83

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.8	OBCTRI00	CHIRO OFF VISITS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	2	2	4174844.35	4176401.34	176.95	177.02
4.9	OBCOFD00	CHIRO OFF VISITS -OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0	0	0	0
4.10	OBCSTL00	CHIRO OFF VISITS -OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	1	1	5864425.03	5864425.03	362.00	362.00
4.11	OBCWCP00	CHIRO OFF VISITS - WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	18	18	149553104.84	149554044.20	877.63	877.63
4.12	OBCOPR00	CHIRO OFF VISTS - OTHR PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	12	12	13694825.51	13687382.94	106.96	106.90

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
4.13	OBCOPU00	CHIRO OFF VISTS - OTHR PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	0	0	0	0	0	0
4.14	OBCOSR00	CHIRO OF VSTS - OTHR UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1	23	23	299493717.27	299501547.93	1012.12	1012.14
5.0	OBNURS00	# OFF-BASED NURSE/PRACTITI ONER VISITS 00	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1934	1934	64141919.89	64141919.89	2.67	2.67
5.1	OBNTCH00	OFFICE-BASED NURSE/PRAC VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1926	1926	9605657463.53	9605432041.40	402.14	402.13
5.2	OBNEXP00	TOTAL OFF- BASED NURSE/PRAC 00	Sum of OBP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1764	1764	5572926277.83	5572792923.28	253.86	253.86
5.3	OBNSLF00	NURSE/PRAC OFF VISITS- SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	1013	1013	622250382.86	622169800.98	47.71	47.71

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.4	OBNMCR00	NURSE/PRAC OFF VISITS - MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	340	340	1318082322.07	1318016867.68	319.94	319.92
5.5	OBNMCD00	NURSE/PRAC OFF VSTS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	204	204	240221199.02	240184873.50	115.92	115.91
5.6	OBNPRV00	NURSE/PRAC OFF VSTS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	943	946	2773948013.97	2773935619.67	218.70	217.95
5.7	OBNVA00	NURSE/PRAC OFF VSTS-VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	39	39	118635589.76	118664845.76	212.95	213.00
5.8	OBNTRI00	NURSE/PRAC OFF VSTS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	9	9	8570833.84	8571475.15	81.35	81.36

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.9	OBNOFD00	NURSE/PRAC OFF VSTS-OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	11	11	37526809.83	37535142.42	279.90	279.96
5.10	OBNSTL00	NURSE/PRAC OFF VSTS -OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	24	24	239533958.18	239515131.65	871.91	871.84
5.11	OBNWCP00	NURSE/PRAC OFF VSTS -WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	16	16	8268502.16	8271962.13	62.78	62.80
5.12	OBNOPR00	NURSE/PRAC OFF VSTS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	41	41	32555530.40	32499544.68	63.07	62.96
5.13	OBNOPU00	NURSE/PRAC OFF VSTS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	11	11	54242003.26	54232121.43	667.10	666.98

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
5.14	OBNOSR00	NRS/PR OF VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4	84	85	119226427.74	119195538.24	132.82	131.87
6.0	OBOPTO00	# OFFICE-BASED OPTOMETRIST VISITS, 1009	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	918	918	13537700.49	13537700.49	1.14	1.14
6.1	OBETCH00	OFFICE-BASED OPTOMTRIST VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	915	915	1290419196.66	1290421166.25	109.67	109.67
6.2	OBEXP00	TOTAL OFF- BASED OPOTMETRIST EXP 00	Sum of OBXP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	895	895	1141353788.42	1141278599.02	98.62	98.62
6.3	OBESLF00	OPTOMETRIST OFF VSTS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	673	673	654899937.30	654883351.66	71.95	71.95
6.4	OBEMCR00	OPTOMETRIST OFF VSTS - MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	42	42	46892046.11	46873898.60	80.45	80.42

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.5	OBEMCD00	OPTOMETRIST OFF VSTS - MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	102	102	74108529.91	74076584.95	74.02	73.99
6.6	OBEPV00	OPTOMETRIST OFF VSTS - PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	340	340	338173259.11	338117023.22	74.34	74.33
6.7	OBEVA00	OPTOMETRIST OFF VSTS -VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	7	7	4873632.35	4854820.06	50.33	50.14
6.8	OBETRI00	OPTOMETRIST OFF VSTS- TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	2008909.27	2010234.03	118.49	118.56
6.9	OBEofd00	OPTOMETRIST OFF VSTS-OTH FEDERAL AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	2	2	2168530.62	2169997.35	135.56	135.66

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
6.10	OBESTL00	OPTOMETRIST OFF VSTS -OTH ST/LOCL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	0	0	0	0	0	0
6.11	OBEWCP00	OPTOMETRIST OFF VSTS- WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	1	1	25917.93	25917.93	10.00	10.00
6.12	OBEOPR00	OPTOMETRIST OFF VSTS -OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	9	9	13108048.95	13104915.21	103.63	103.61
6.13	OBEOPU00	OPTOMETRIST OFF VSTS -OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	5	5	1891984.21	1893328.21	52.82	52.86
6.14	OBEOSR00	OPTOM OF VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5	4	4	3273871.76	3268527.81	110.12	109.94
7.0	OBASST00	# OFF-BASED PHYSICIAN ASS T VSTS, 1009	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	306	306	6592672.87	6592672.87	1.63	1.63

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.1	OBATCH00	OFFICE-BASED PHYS ASST VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	302	302	979214895.11	979188226.01	246.50	246.50
7.2	OBAEXP00	TOTAL OFF- BASED PHYS ASS T EXP 00	Sum of OBP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	285	285	595628726.69	595555266.86	158.31	158.29
7.3	OBASLF00	PHYS ASS T OFF VSTS- SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	197	197	91736084.25	91719015.82	33.78	33.78
7.4	OBAMCR00	PHYS ASS T OFF VSTS-MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	35	35	58525845.20	58522162.32	109.02	109.02
7.5	OBAMCD00	PHYS ASS T OFF VSTS-MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	30	30	36404477.91	36412472.66	128.87	128.89

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.6	OBAPRV00	PHYS ASS T OFF VSTS-PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	173	173	261130033.43	261111924.95	113.83	113.83
7.7	OBAVA00	PHYS ASS T OFF VSTS-VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	7	7	55376914.90	55359281.18	463.25	463.11
7.8	OBATRI00	PHYS ASS T OFF VSTS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	4	4	5764885.32	5750547.79	98.56	98.31
7.9	OBAOFD00	PHYS ASS T OFF VSTS -OTHER FED AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	3	3	43171785.64	43161113.79	1023.57	1023.31
7.10	OBASTL00	PHYS ASS T OFF VSTS -OTH ST/LOCL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	1	1	841955.79	842847.27	85.00	85.09

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
7.11	OBAWCP00	PHYS ASS T OFF VSTS-WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	3	3	28723264.71	28722562.29	651.63	651.61
7.12	OBAOPR00	PHYS ASS T OFF VSTS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	12	12	9927485.30	9931204.01	53.51	53.53
7.13	OBAOPU00	PHYS ASS T OFF VSTS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	1	1	164521.32	163925.23	69.00	68.75
7.14	OBAOSR00	P A OFF VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7	5	5	3860585.88	3858209.54	46.01	45.99
8.0	OBTHER00	# OFF-BASED PHYSICL/OCC THRPY VSTS, 1009	Count of MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	375	375	54506545.23	54506545.23	10.66	10.66

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.1	OBTTC00	OFFICE-BASED PT/OC VISIT CHARGES 00	Sum of OBTC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	374	374	6956083687.78	6956005960.23	1368.16	1368.14
8.2	OBTEXP00	TOT OFF-BASED PT EXP 00	Sum of OBXP00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	364	364	4964327444.36	4964247814.29	1002.60	1002.59
8.3	OBTSLF00	PT/OT OFF VISITS- SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	185	185	553911127.60	553912292.22	215.52	215.52
8.4	OBTMCR00	PT/OT OFF VISITS-MEDICARE AMT 00	Sum of OBMR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	68	68	848945371.80	848918148.33	1025.05	1025.01

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.5	OBTMCD00	PT/OT OFF VISITS-MEDICAID AMT 00	Sum of OBMD00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	27	27	94394852.53	94383015.49	277.15	277.11
8.6	OBTPRV00	PT/OT OFF VISITS-PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	238	238	2373649719.40	2373572695.99	730.46	730.43
8.7	OBTVA00	PT/OT OFF VISITS-VA AMT 00	Sum of OBVA00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	6	7	34629726.88	34624948.14	677.69	589.07
8.8	OBTTRI00	PT/OT OFF VISITS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	7226147.75	7226147.75	666.00	666.00

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.9	OBTOFD00	PT/OT OFF VISITS -OTHER FED AMT 00	Sum of OBOF00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	2	2	10352411.78	10352662.02	484.66	484.67
8.10	OBTSTL00	PT/OT OFF VISITS-OTH ST/LOCL AMT 00	Sum of OBSL00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	3	3	53441432.48	53444470.78	1509.38	1509.47
8.11	OBTWCP00	PT/OT OFF VISITS-WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	43	43	806508563.97	806496477.63	1358.22	1358.20
8.12	OBTOPR00	PT/OT OFF VISITS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	12	12	119601788.36	119576451.92	802.03	801.86

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
8.13	OBTOPU00	PT/OT OFF VISITS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	1	1	394979.21	398321.34	52.00	52.44
8.14	OBTOSR00	PT/OT OF VSTS- OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with SEETLKPV = (1, -7, -8 or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)	9	9	61340734.57	61342182.69	564.60	564.61
9.0	OPTOTV00	# OUTPATIENT DEPT PROVIDER VISITS 00	Count of OPAT records with SEETLKPV = (1, -7, -8 or -9)	3006	3006	130815900.32	130815900.32	3.48	3.48
9.1	OPFTCH00	OPD PROVIDER VISIT CHARGES - FAC 00	Sum of OPFTC00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	2993	2993	93757501737.22	93756210399.65	2500.12	2500.09
9.2	OPFEXP00	TOTAL OUTPATIENT FACILITY EXP 00	Sum of OPFXP00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	2872	2872	43972559812.51	43972239352.44	1220.69	1220.68
9.3	OPFSLF00	ALL OPD VISITS- SELF/FAMILY AMT-FAC 00	Sum of OPFSF00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1170	1172	3540087872.77	3539907556.27	241.14	240.99
9.4	OPFMCR00	ALL OPD VISITS- MEDICARE AMT- FAC 00	Sum of OPFMR00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	781	783	10076487007.38	10076516239.45	1048.55	1045.49

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.5	OPFMCD00	ALL OPD VISITS- MEDICAID AMT- FAC 00	Sum of OPFMD00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	319	319	2352055120.17	2352042145.69	737.62	737.62
9.6	OPFPRV00	ALL OPD VISITS- PRIV INS AMT- FAC 00	Sum of OPFPV00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	1790	1791	22342923139.63	22342716818.72	938.33	937.50
9.7	OPFVA00	ALL OPD VISITS- VA AMT-FAC 00	Sum of OPFVA00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	134	134	1812254150.40	1812172082.23	1021.87	1021.82
9.8	OPFTRI00	ALL OPD VISITS- TRICARE AMT- FAC 00	Sum of OPFTR00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	18	18	125290601.40	125305563.89	601.08	601.15
9.9	OPFOFD00	ALL OPD VISITS- OTHER FED AMT- FAC 00	Sum of OPFOF00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	32	32	614389522.39	614373535.91	1502.07	1502.03
9.10	OPFSTL00	ALL OPD VISITS- OTH ST/LOCAL AMT-FAC 00	Sum of OPFSL00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	18	18	141128754.12	141119321.28	747.06	747.01
9.11	OPFWCP00	ALL OPD VISITS- WORKERS COMP AMT-FAC 00	Sum of OPFWC00X from OPAT records with SEETLKPV = (1, -7, -8 or -9)	98	98	1256690917.00	1256746981.43	1009.87	1009.91
9.12	OPFOPR00	ALL OPD VISITS - OTH PRIVATE AMT-FAC 00	Sum of OPFOR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	150	150	1121599816.25	1121676026.92	656.21	656.25
9.13	OPFOPU00	ALL OPD VISITS - OTH PUBLIC AMT- FAC 00	Sum of OPFOU00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	34	34	220170413.54	220171624.30	737.86	737.87

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.14	OPFOSR00	ALL OPD VSTS- OTH UNCLASS SRCE AMT-FAC 00	Sum of OPFOT00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	47	47	369533428.57	369491456.35	662.74	662.67
9.15	OPDEXP00	TOTAL OUTPATIENT PROVIDER EXP 00	Sum of OPDXP00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1728	1728	10907012772.41	10906424230.36	499.54	499.51
9.16	OPDTCH00	OPD PROVIDER VISIT CHARGES - DR 00	Sum of OPDTC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1780	1780	23522217438.40	23521692345.23	1047.45	1047.43
9.17	OPDSLF00	ALL OPD VISITS- SELF/FAMILY AMT-DR 00	Sum of OPDSF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	534	536	599018131.66	599007809.78	88.28	88.04
9.18	OPDMCR00	ALL OPD VISITS- MEDICARE AMT - DR 00	Sum of OPDMR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	540	540	2106095673.52	2106202595.53	317.91	317.93
9.19	OPDMCD00	ALL OPD VISITS- MEDICAID AMT - DR 00	Sum of OPDMD00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	185	186	404521921.58	404457143.12	208.41	207.44
9.20	OPDPRV00	ALL OPD VISITS- PRIV INS AMT-DR 00	Sum of OPDPV00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	1170	1170	6524516085.19	6524256452.00	418.59	418.57
9.21	OPDVA00	ALL OPD VISITS- VA AMT-DR 00	Sum of OPDVA00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	28	28	64491620.36	64468923.35	173.47	173.41

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
9.22	OPDTRI00	ALL OPD VISITS- TRICARE AMT-DR 00	Sum of OPDTR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	10	10	19443877.32	19459289.05	181.62	181.76
9.23	OPDOFD00	ALL OPD VISITS- OTHER FED AMT- DR 00	Sum of OPDOF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	0	0	0	0	0	0
9.24	OPDSTL00	ALL OPD VISITS- OTH ST/LOCAL AMT-DR 00	Sum of OPDSL00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	6	6	12534222.67	12549080.89	229.12	229.40
9.25	OPDWCP00	ALL OPD VISITS- WORKERS COMP AMT-DR 00	Sum of OPDWC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	31	31	459022966.16	459041623.57	1185.92	1185.97
9.26	OPDOPR00	ALL OPD VISITS - OTH PRIVATE AMT-DR 00	Sum of OPDOR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	155	155	647028629.46	647010733.63	358.12	358.11
9.27	OPDOPU00	ALL OPD VISITS- OTH PUBLIC AMT- DR 00	Sum of OPDOU00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	38	38	69953199.52	69970579.44	195.71	195.76
9.28	OPDOSR00	ALL OPD VSTS- OTH UNCLASS SRCE AMT-DR 00	Sum of OPDOT00X from OPAT records with SEETLKPV=(1,-7,-8 or -9)	0	0	0	0	0	0
10.0	OPDRV00	# OUTPATIENT DEPT - DR VISITS 00	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1782	1782	50452592.00	50452592.00	2.33	2.33
10.1	OPVTCH00	OPD PHYSICIAN VISIT CHARGES - FAC 00	Sum of OPFTC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1768	1768	58942206519.58	58941363700.27	2734.51	2734.47

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.2	OPVEXP00	TOTAL OUTPATIENT PHYSICIAN - FAC EXP 00	Sum of OPFXP00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1690	1690	27149183730.57	27149238604.46	1317.27	1317.27
10.3	OPVSLF00	OPD DR VISITS- SELF/FAMILY AMT-FAC 00	Sum of OPFSF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	668	670	2414595425.26	2414533423.58	291.07	290.77
10.4	OPVMCR00	OPD DR VISITS- MEDICARE AMT- FAC 00	Sum of OPFMR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	416	416	5110308241.78	5110384435.78	983.73	983.75
10.5	OPVMCD00	OPD DR VISITS- MEDICAID AMT- FAC 00	Sum of OPFMD00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	203	203	1155562730.43	1155420246.84	591.40	591.32
10.6	OPVPRV00	OPD DR VISITS- PRIV INS AMT- FAC 00	Sum of OPFPV00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1003	1003	14972515728.14	14972542659.89	1147.88	1147.88
10.7	OPVVA00	OPD DR VISITS- VA AMT-FAC 00	Sum of OPFVA00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	96	96	980519494.12	980467601.12	812.94	812.90
10.8	OPVTRI00	OPD DR VISITS- TRICARE AMT- FAC 00	Sum of OPFTR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	10	10	63318658.15	63320816.65	545.89	545.91

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.9	OPVOFD00	OPD DR VISITS- OTHER FED AMT- FAC 00	Sum of OPFOF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	23	23	200163449.05	200134600.47	694.23	694.13
10.10	OPVSTL00	OPD DR VISITS- OTH ST/LOCAL AMT-FAC 00	Sum of OPFSL00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	12	12	85407467.12	85409521.64	994.44	994.46
10.11	OPVWCP00	OPD DR VISITS- WORKERS COMP AMT-FAC 00	Sum of OPFWC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	72	72	1041072025.59	1041118535.29	1127.45	1127.50
10.12	OPVOPR00	OPD DR VISITS - OTH PRIVATE AMT-FAC 00	Sum of OPFOR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	92	92	856977177.09	857007868.32	826.08	826.11
10.13	OPVOPU00	OPD DR VISITS- OTH PUBLIC AMT- FAC 00	Sum of OPFOU00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	18	19	70635880.33	70632569.99	499.25	466.64
10.14	OPVOSR00	OPD DR VSTS- OTH UNCLASS SRCE AMT-FAC 00	Sum of OPFOT00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	23	23	198285130.86	198266324.90	733.25	733.18
10.15	OPSEXP00	TOTAL OUTPATIENT PHYSICIAN - DR EXP 00	Sum of OPDXP00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	1047	1047	8010052635.32	8009685024.48	615.77	615.74

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.16	OPSTCH00	OPD PHYSICIAN VISIT CHARGES - DR 00	Sum of OPDTC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	1077	1077	17502642502.94	17502325064.64	1313.59	1313.56
10.17	OPSSLF00	OPD DR VISITS- SELF/FAMILY AMT-DR 00	Sum of OPDSF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	305	307	402029444.16	402057432.45	105.57	105.07
10.18	OPSMCR00	OPD DR VISITS- MEDICARE AMT- DR 00	Sum of OPDMR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	313	313	1330872953.62	1330848332.27	343.67	343.67
10.19	OPSMCD00	OPD DR VISITS- MEDICAID AMT- DR 00	Sum of OPDMD00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	123	124	336879280.03	336838990.75	265.67	263.82
10.20	OPSPRV00	OPD DR VISITS- PRIV INS AMT-DR 00	Sum of OPDPV00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	696	696	4919597223.81	4919361983.83	539.69	539.66
10.21	OPSVAA00	OPD DR VISITS- VA AMT-DR 00	Sum of OPDVA00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC =1	13	13	42394834.00	42391795.94	234.57	234.56
10.22	OPSTRI00	OPD DR VISITS- TRICARE AMT-DR 00	Sum of OPDTR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	7	7	18375603.56	18383442.59	237.22	237.32

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
10.23	OPSOFD00	OPD DR VISITS- OTHER FED AMT- DR 00	Sum of OPDOF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	0	0	0	0	0	0
10.24	OPSSTL00	OPD DR VISITS- OTH ST/LOCAL AMT-DR 00	Sum of OPDSL00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	5	5	10564816.62	10576027.79	231.75	232.00
10.25	OPSWCP00	OPD DR VISITS- WORKERS COMP AMT-DR 00	Sum of OPDWC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	19	19	438280992.23	438296606.78	1658.08	1658.14
10.26	OPSOPR00	OPD DR VISITS - OTH PRIVATE AMT-DR 00	Sum of OPDOR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	97	97	482098939.47	482131230.06	424.79	424.82
10.27	OPSOPU00	OPD DR VISITS- OTH PUBLIC AMT- DR 00	Sum of OPDOU00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	22	22	28797374.49	28799182.02	148.46	148.47
10.28	OPSOSR00	OPD DR VSTS- OTH UNCLASS SRCE AMT-DR 00	Sum of OPDOT00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and SEEDOC = 1	0	0	0	0	0	0

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.0	OPOTHV00	# OUTPATIENT DEPT NON-DR VISITS 00	Count of OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1668	1668	73465626.47	73465626.47	3.40	3.40
11.1	OPOTCH00	OPD NON-PHYS VISIT CHARGES - FAC 00	Sum of OPFTC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1663	1663	31493253118.66	31492598180.95	1459.74	1459.71
11.2	OPOEXP00	TOTAL OUTPATIENT NON-DR - FAC EXP 00	Sum of OPFXP00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1592	1592	15576105532.33	15575745382.99	753.50	753.48
11.3	OPOSLF00	OPD NON-DR VISITS-SELF/FAM AMT-FAC 00	Sum of OPFSF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	552	552	955635304.35	955516868.39	135.25	135.24
11.4	OPOMCR00	OPD NON-DR VISITS-MEDICARE AMT-FAC 00	Sum of OPFMR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	516	518	4477055129.38	4477016570.46	691.27	688.27

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.5	OPOMCD00	OPD NON-DR VISITS-MEDICAID AMT-FAC 00	Sum of OPFMD00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	146	146	1141839959.48	1141927157.25	726.80	726.85
11.6	OPOPRV00	OPD NON-DR VISITS-PRIV INS AMT-FAC 00	Sum of OPFPV00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1037	1038	7029297227.19	7029051276.45	500.64	499.88
11.7	OPOVA00	OPD NON-DR VISITS-VA AMT- FAC 00	Sum of OPFVA00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	57	57	750925635.45	750888767.10	889.74	889.69
11.8	OPOTRI00	OPD NON-DR VISITS-TRICARE AMT-FAC 00	Sum of OPFTR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	9	9	61971943.25	61984747.24	584.13	584.25

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.9	OPOOFD00	OPD NON-DR VISITS-OTHER FED AMT-FAC 00	Sum of OPFOF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	14	14	414239273.82	414238935.44	2056.81	2056.80
11.10	OPOSTL00	OPD NON-DR VISITS-OTH ST/LOC AMT-FAC 00	Sum of OPFSL00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	8	8	55031586.87	55025786.48	478.04	477.99
11.11	OPOWCP00	OPD NON-DR VISITS-WRKRS COMP AMT-FAC 00	Sum of OPFWC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	30	30	215621010.97	215628446.15	605.39	605.41
11.12	OPOOPR00	OPD NON-DR VISITS-OTH PRIVATE AMT- FAC 00	Sum of OPFOR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	79	79	260484527.67	260516150.78	290.52	290.56

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.13	OPOOPU00	OPD NON-DR VISITS-OTH PUBLIC AMT-FAC 00	Sum of OPFOU00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	19	19	76822362.62	76828670.74	445.77	445.81
11.14	OPOOSR00	OPD NON-DR VSTS-OT UNCLAS SRC AMT-FAC 00	Sum of OPFOT00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	25	25	137131628.16	137122006.51	482.15	482.12
11.15	OPPEXP00	TOTAL OUTPATIENT NON-DR - DR EXP 00	Sum of OPDXP00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	865	865	2813048488.70	2812848822.83	252.04	252.03
11.16	OPPTCH00	OPD NON-PHYS VISIT CHARGES - DR 00	Sum of OPDTC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	897	897	5834636216.24	5834435172.55	504.50	504.48

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.17	OPPSLF00	OPD NON-DR VISITS-SELF/FAM AMT-DR 00	Sum of OPDSF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	247	247	188183265.24	188166019.08	57.70	57.69
11.18	OPPMCR00	OPD NON-DR VISITS-MEDICARE AMT-DR 00	Sum of OPDMR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	302	302	759231394.32	759333401.86	204.21	204.23
11.19	OPPMCD00	OPD NON-DR VISITS-MEDICAID AMT-DR 00	Sum of OPDMD00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	75	75	67627250.24	67618152.37	83.62	83.61
11.20	OPPPRV00	OPD NON-DR VISITS-PRIV INS AMT-DR 00	Sum of OPDPV00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	581	581	1574728123.50	1574662210.79	201.87	201.86

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.21	OPPVA00	OPD NON-DR VISITS-VA AMT- DR 00	Sum of OPDVA00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	13	13	20234223.19	20228246.17	127.33	127.30
11.22	OPPTRI00	OPD NON-DR VISITS-TRICARE AMT-DR 00	Sum of OPDTR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	3	3	1068273.77	1075846.46	36.09	36.35
11.23	OPPOFD00	OPD NON-DR VISITS-OTHER FED AMT-DR 00	Sum of OPDOF00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	0	0	0	0	0	0
11.24	OPPSTL00	OPD NON-DR VISITS-OTH ST/LOC AMT-DR 00	Sum of OPDSL00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	1	1	1969406.05	1973053.10	216.00	216.40

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
11.25	OPPWCP00	OPD NON-DR VISITS-WRKRS COMP AMT-DR 00	Sum of OPDWC00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	13	13	20741973.94	20745016.79	156.90	156.93
11.26	OPPOPR00	OPD NON-DR VISITS-OTH PRIVATE AMT-DR 00	Sum of OPDOR00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	68	68	139086681.45	139038032.72	181.96	181.89
11.27	OPPOPU00	OPD NON-DR VISITS-OTH PUBLIC AMT-DR 00	Sum of OPDOU00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	16	16	40013822.16	40008843.50	256.77	256.74
11.28	OPPOS00	OPD NON-DR VSTS-OT UNCLAS SRC AMT-DR 00	Sum of OPDOT00X from OPAT records with SEETLKPV=(1,-7,-8 or -9) and (SEEDOC = 2 or (SEEDOC = -7, -8 or -9 and MEDPTYPE > 0))	0	0	0	0	0	0

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.0	AMCHIR00	# CHIROPRACTR VSTS (OFF+OUTPAT), 1009	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1] plus OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	621	621	73384992.65	73384992.65	8.77	8.77
12.1	AMCTCH00	CHIRO AMBULATORY VISIT CHARGES 00	Sum of OBTC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPTC00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	621	621	5041246150.08	5041217262.14	602.65	602.64
12.2	AMCEXP00	TOTL AMBULTRY (OB+OP) CHIRO EXP 00	Sum of OBXP00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of OPXP00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	599	599	3824345558.60	3824341106.25	478.59	478.59

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.3	AMCSLF00	CHIRO AMB VISITS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSF00X + OPDSF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	475	475	1368874043.46	1368844325.93	211.63	211.63
12.4	AMCMCR00	CHIRO AMB VISITS - MEDICARE AMT 00	Sum of OBMR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMR00X + OPDMR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	43	43	291945404.11	291937213.49	515.07	515.06

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.5	AMCMCD00	CHIRO AMB VISITS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFMD00X + OPDMD00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	13	13	59467688.48	59449960.53	330.08	329.98
12.6	AMCPRV00	CHIRO AMB VISITS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFPV00X + OPDPV00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	314	314	1580139672.03	1580145893.60	359.66	359.67

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.7	AMCVA00	CHIRO AMB VISITS -VA AMT 00	Sum of OBVA00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFVA00X + OPDVA00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	13	13	47969127.69	47953064.71	265.57	265.48
12.8	AMCTRI00	CHIRO AMB VISITS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFTR00X + OPDTR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	2	2	4174844.35	4176401.34	176.95	177.02

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.9	AMCOFD00	CHIRO AMB VISITS -OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOF00X + OPDOF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	0	0	0	0
12.10	AMCSTL00	CHIRO AMB VISITS -OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFSL00X + OPDSL00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	1	1	5864425.03	5864425.03	362.00	362.00

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.11	AMCWCP00	CHIRO AMB VISITS-WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFWC00X + OPDWC00X) from OPAT records with and [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	18	18	149553104.84	149554044.20	877.63	877.63
12.12	AMCOPR00	CHIRO AMB VISITS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOR00X + OPDOR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	13	13	16924418.30	16914229.47	121.74	121.66

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
12.13	AMCOPU00	CHIRO AMB VISITS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOU00X + OPDOU00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	0	0	0	0	0	0
12.14	AMCOSR00	CHIR AMB VSTS - OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 1] plus sum of (OPFOT00X + OPDOT00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=1]	23	23	299493717.27	299501547.93	1012.12	1012.14
13.0	AMNURS00	# AMB NURSE/PRCTITIO NR VSTS(OB+OP) 00	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	2093	2093	74532090.83	74532090.83	2.89	2.89

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.1	AMNTCH00	NRS/PRAC AMBULATORY VISIT CHARGES 00	Sum of OBTC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPTC00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	2085	2085	15432799618.30	15432486931.48	601.65	601.64
13.2	AMNEXP00	TOTL AMBULTRY (OB+OP) NURSE/PRAC EXP 00	Sum of OBXP00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of OPXPP00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=4]	1915	1915	8033057098.41	8032898835.74	340.21	340.20
13.3	AMNSLF00	NRS/PRAC AMB VSTS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSF00X + OPDSF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1071	1071	682085938.13	682011890.81	50.04	50.04

TABLE H51IT2
 COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
 FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
 WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.4	AMNMCR00	NRS/PRAC AMB VSTS -MEDICARE AMT 00	Sum of OBMR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMR00X + OPDMR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	403	403	2124109274.66	2124063598.90	441.17	441.16
13.5	AMNMCD00	NRS/PRAC AMB VSTS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFMD00X + OPDMD00X) from OPAT records [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	231	231	723127541.06	723108535.94	318.70	318.69

TABLE H51IT2
 COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
 FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
 WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.6	AMNPRV00	NRS/PRAC AMB VSTS -PRIV INS AMT 00	Sum of OBPV00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFPV00X + OPDPV00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	1031	1035	3726616536.87	3726577266.06	271.80	270.52
13.7	AMNVA00	NRS/PRAC AMB VSTS-VA AMT 00	Sum of OBVA00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFVA00X + OPDVA00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	48	48	168528800.28	168558656.41	242.41	242.45

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.8	AMNTRI00	NRS/PRAC AMB VSTS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFTR00X + OPDTR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	9	9	8570833.84	8571475.15	81.35	81.36
13.9	AMNOFD00	NRS/PRAC AMB VSTS-OTHER FEDERAL AMT 00	Sum of OBOF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOF00X + OPDOF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	12	12	37685215.56	37689059.99	255.88	255.91

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.10	AMNSTL00	NRS/PRAC AMB VSTS-OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFSL00X + OPDSL00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	27	27	242030699.20	242013721.03	812.02	811.96
13.11	AMNWCP00	NRS/PRAC AMB VSTS-WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFWC00X + OPDWC00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	19	19	15522996.43	15524329.94	92.35	92.35

TABLE H51IT2
 COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
 FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
 WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.12	AMNOPR00	NRS/PRAC AMB VSTS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOR00X + OPDOR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	50	50	40617688.50	40559940.92	68.59	68.49
13.13	AMNOPU00	NRS/PRAC AMB VSTS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOU00X + OPDOU00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	19	19	124300693.47	124294419.38	824.27	824.23

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
13.14	AMNOSR00	NRS/PR AMB VSTS - OTH UNCLAS SRCE AMT 00	Sum of OBOT00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4] plus sum of (OPFOT00X + OPDOT00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 4]	88	89	139959309.51	139925941.21	149.97	148.94
14.0	AMOPTO00	# AMB OPTOMETRIST VSTS (OB+OP) 00	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	933	933	13785759.63	13785759.63	1.15	1.15
14.1	AMETCH00	OPTOMETRIST AMBULATORY VISIT CHARGES 00	Sum of OBTC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPTC00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	929	929	1406478604.88	1406481347.18	117.72	117.72

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.2	AMEEXP00	TOTL AMBULTRY (OB+OP) OPTOMETRIST EXP 00	Sum of OBXP00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of OPXP00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	909	909	1226632327.60	1226551055.47	104.36	104.35
14.3	AMESLF00	OPTMTRIST AMB VSTS - SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSF00X + OPDSF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	682	682	705812875.52	705795559.55	76.55	76.55

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.4	AMEMCR00	OPTMTRIST AMB VSTS -MEDICARE AMT 00	Sum of OBMR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMR00X + OPDMR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	43	43	46919532.21	46900992.04	80.23	80.20
14.5	AMEMCD00	OPTMTRIST AMB VSTS -MEDICAID AMT 00	Sum of OBMD00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFMD00X + OPDMD00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	103	103	74781625.64	74749680.69	72.74	72.71

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.6	AMEPRV00	OPTMTRIST AMB VSTS -PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFPV00X + OPDPV00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	347	347	366942739.09	366883950.53	78.88	78.87
14.7	AMEVA00	OPTMTRIST AMB VSTS-VA AMT 00	Sum of OBVA00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFVA00X + OPDVA00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	10	10	8607531.23	8584912.01	70.23	70.04

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.8	AMETRI00	OPTMTRIST AMB VSTS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFTR00X + OPDTR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	2	2	2008909.27	2010234.03	118.49	118.56
14.9	AMEOFD00	OPTMTRIST AMB VSTS-OTHER FED AMT 00	Sum of OBOF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOF00X + OPDOF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	2	2	2168530.62	2169997.35	135.56	135.66

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.10	AMESTL00	OPTMTRIST AMB VSTS-OTH ST/LOCAL AMT 00	Sum of OBSL00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFSL00X + OPDSL00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	0	0	0	0	0	0
14.11	AMEWCP00	OPTMTRIST AMB VSTS-WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFWC00X + OPDWC00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	1	1	25917.93	25917.93	10.00	10.00

TABLE H51IT2
 COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
 FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
 WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.12	AMEOPR00	OPTMTRIST AMB VSTS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOR00X + OPDOR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	11	11	14274927.90	14267955.33	101.08	101.03
14.13	AMEOPU00	OPTMTRIST AMB VSTS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOU00X + OPDOU00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	5	5	1891984.21	1893328.21	52.82	52.86

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
14.14	AMEOSR00	OPTOM AMB VSTS - OTH UNCLAS SRCE AMT 00	Sum of OBOT00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5] plus sum of (OPFOT00X + OPDOT00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 5]	4	4	3273871.76	3268527.81	110.12	109.94
15.0	AMASST00	# PHYSICIAN ASS T VSTS (OFF+OUPAT), 1009	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] and OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	319	319	6870590.01	6870590.01	1.63	1.63
15.1	AMATCH00	PHYS ASS T AMBULATORY VISIT CHARGES 00	Sum of OBTC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPTC00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	315	315	1096111458.78	1096063833.67	264.61	264.59

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.2	AMAEXP00	TOTL AMBULTRY (OB+OP) PHYS ASS T EXP 00	Sum of OBXP00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of OPXP00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=7]	298	298	665676731.22	665583307.45	169.28	169.25
15.3	AMASLF00	PHYS ASS T AMB VSTS- SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSF00X + OPDSF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	204	204	94867456.43	94846712.19	33.81	33.80

TABLE H51IT2
 COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
 FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
 WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.4	AMAMCR00	PHYS ASS T AMB VSTS-MEDICARE AMT 00	Sum of OBMR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMR00X + OPDMR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	37	37	71136094.08	71135442.70	122.58	122.58
15.5	AMAMCD00	PHYS ASS T AMB VSTS-MEDICAID AMT 00	Sum of OBMD00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFMD00X + OPDMD00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	30	30	36404477.91	36412472.66	128.87	128.89

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.6	AMAPRV00	PHYS ASS T AMB VSTS-PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFPV00X + OPDPV00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	182	182	296622918.79	296586734.09	123.34	123.32
15.7	AMAVA00	PHYS ASS T AMB VSTS-VA AMT 00	Sum of OBVA00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFVA00X + OPDVA00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	9	9	64893103.73	64878574.28	488.10	487.99

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.8	AMATRI00	PHYS ASS T AMB VSTS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFTR00X + OPDTR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	4	4	5764885.32	5750547.79	98.56	98.31
15.9	AMAOFD00	PHYS ASS T AMB VSTS -OTHER FED AMT 00	Sum of OBOF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOF00X + OPDOF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	4	4	52460734.02	52454075.40	1038.03	1037.90

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.10	AMASTL00	PHYS ASS T AMB VSTS-OTH ST/LOCL AMT 00	Sum of OBSL00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFSL00X + OPDSL00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	1	1	841955.79	842847.27	85.00	85.09
15.11	AMAWCP00	PHYS ASS T AMB VSTS-WRKERS COMP AMT 00	Sum of OBWC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFWC00X + OPDWC00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	3	3	28723264.71	28722562.29	651.63	651.61

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.12	AMAOPR00	PHYS ASS T AMB VSTS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOR00X + OPDOR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	12	12	9927485.30	9931204.01	53.51	53.53
15.13	AMAOPU00	PHYS ASS T AMB VSTS - OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOU00X + OPDOU00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	1	1	164521.32	163925.23	69.00	68.75

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
15.14	AMAOSR00	P A AMB VSTS- OTH UNCLASS SRCE AMT 00	Sum of OBOT00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7] plus sum of (OPFOT00X + OPDOT00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = 7]	5	5	3860585.88	3858209.54	46.01	45.99
16.0	AMTHER00	# AMB PT/OT THRPY VISITS (OB+OP) 00	Count of MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus count of OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	474	474	70614371.12	70614371.12	11.08	11.08

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.1	AMTTCH00	PT/OC AMBULATORY VISIT CHARGES 00	Sum of OBTC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPTC00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	474	474	12206066594.46	12205872219.72	1914.95	1914.92
16.2	AMTEXP00	TOTL AMBULTRY (OB+OP) PT/OT EXP 00	Sum of OBXP00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of OPXP00X from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE=(8 or 9)]	459	459	7298348909.53	7298245571.74	1178.57	1178.56

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.3	AMTSLF00	PT/OT AMB VISITS- SELF/FAMILY AMT 00	Sum of OBSF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSF00X + OPDSF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	227	227	788427728.38	788425514.83	249.47	249.47
16.4	AMTMCR00	PT/OT AMB VISITS-MEDICARE AMT 00	Sum of OBMR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMR00X + OPDMR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	104	104	1680371872.81	1680393215.96	1325.45	1325.46

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.5	AMTMCD00	PT/OT AMB VISITS-MEDICAID AMT 00	Sum of OBMD00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFMD00X + OPDMD00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	38	38	305395040.75	305375154.25	672.70	672.65
16.6	AMTPRV00	PT/OT AMB VISITS-PRIVATE INS AMT 00	Sum of OBPV00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFPV00X + OPDPV00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	304	304	3241697187.43	3241607521.95	775.23	775.20

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.7	AMTVA00	PT/OT AMB VISITS-VA AMT 00	Sum of OBVA00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFVA00X + OPDVA00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	9	10	44638953.32	44634824.11	464.64	430.21
16.8	AMTTRI00	PT/OT AMB VISITS-TRICARE AMT 00	Sum of OBTR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFTR00X + OPDTR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	2	2	8712377.18	8717204.25	369.91	370.11

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.9	AMTOFD00	PT/OT AMB VISITS -OTHER FED AMT 00	Sum of OBOF00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOF00X + OPDOF00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	5	5	18222002.76	18227428.07	368.14	368.25
16.10	AMTSTL00	PT/OT AMB VISITS-OTH ST/LOCL AMT 00	Sum of OBSL00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFSL00X + OPDSL00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	4	4	90575545.29	90579771.58	2269.90	2270.01

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.11	AMTWCP00	PT/OT AMB VISITS-WORKERS COMP AMT 00	Sum of OBWC00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFWC00X + OPDWC00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	51	51	884605358.75	884600134.41	1317.52	1317.51
16.12	AMTOPR00	PT/OT AMB VISITS - OTH PRIVATE AMT 00	Sum of OBOR00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOR00X + OPDOR00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	21	21	173212585.68	173193112.11	699.96	699.88

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
16.13	AMTOPU00	PT/OT AMB VISITS-OTH PUBLIC AMT 00	Sum of OBOU00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOU00X + OPDOU00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	2	2	578332.58	577893.05	30.35	30.33
16.14	AMTOSR00	PT/OT AMB VSTS- OTH UNCLAS SRCE AMT 00	Sum of OBOT00X from MVIS records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)] plus sum of (OPFOT00X + OPDOT00X) from OPAT records with [SEETLKPV= (1 -7, -8, or -9) and SEEDOC = (2, -7, -8 or -9) and MEDPTYPE = (8 or 9)]	10	10	61915407.81	61913797.18	525.09	525.07
17.0	AMTOTC00	# CALLS W/OFFICE & OUPAT DEPTS, 1009	Count of MVIS records with SEETLKPV = 2 plus count of OPAT records with SEETLKPV = 2	783	783	15035539.22	15035539.22	1.44	1.44

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
18.0	AMDRC00	# CALLS W/OFF & OUTPAT PHYSICIANS, 1009	Count of MVIS records with SEETLKPV = 2 and SEEDOC = 1 plus count of OPAT records with SEETLKPV = 2 and SEEDOC = 1	505	505	9120695.45	9120695.45	1.33	1.33
19.0	ERTOT00	# EMERGENCY ROOM VISITS, 1009	Count of EROM records	2977	2977	46921296.08	46921296.08	1.34	1.34
19.1	ERFTCH00	ER FACILITY VISIT CHARGES 00	Sum of ERFTC00X from EROM records	2806	2806	29037393107.43	29036340783.84	891.42	891.38
19.2	ERFEXP00	TOTAL ER FACILITY EXP 00	Sum of ERFXP00X from EROM records	2534	2536	15598361323.31	15598336056.16	522.44	522.13
19.3	ERFSLF00	ER-SELF/FAMILY AMT - FAC 00	Sum of ERFSF00X from EROM records	1042	1042	1825347868.13	1825451550.27	144.22	144.22
19.4	ERFMCR00	ER-MEDICARE AMT - FAC 00	Sum of ERFMR00X from EROM records	420	420	2754528896.98	2754380071.33	554.99	554.96
19.5	ERFMCD00	ER-MEDICAID AMT - FAC 00	Sum of ERFMD00X from EROM records	498	498	1345854993.90	1345868858.82	290.66	290.66
19.6	ERFPRV00	ER-PRIVATE INS AMT - FAC 00	Sum of ERFPRV00X from EROM records	1295	1297	6932074839.16	6932042468.70	415.81	415.36
19.7	ERFVA00	ER-VA AMT - FAC 00	Sum of ERFVA00X from EROM records	48	48	816893917.66	816851156.59	1211.01	1210.95
19.8	ERFTRI00	ER-TRICARE AMT - FAC 00	Sum of ERFTR00X from EROM records	12	12	89216204.43	89241708.06	423.47	423.59

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.9	ERFOFD00	ER-OTHER FEDERAL AMT - FAC 00	Sum of ERFOF00X from EROM records	11	11	42502637.99	42470910.75	313.79	313.55
19.10	ERFSTL00	ER-OTH ST/LOCAL AMT - FAC 00	Sum of ERFSL00X from EROM records	7	7	143229219.12	143253807.53	1276.93	1277.15
19.11	ERFWCP00	ER-WORKERS COMP AMT - FAC 00	Sum of ERFWC00X from EROM records	126	126	593908751.13	593948741.01	402.37	402.40
19.12	ERFOPR00	ER-OTHER PRIVATE AMT - FAC 00	Sum of ERFOR00X from EROM records	85	85	608896135.77	608855858.03	582.32	582.28
19.13	ERFOPU00	ER-OTHER PUBLIC AMT - FAC 00	Sum of ERFOU00X from EROM records	36	36	144054081.66	144051355.03	431.81	431.80
19.14	ERFOSR00	ER-OTH UNCLASS SRCE AMT - FAC 00	Sum of ERFOT00X from EROM records	53	53	301924300.72	301919570.04	416.88	416.87
19.15	ERDEXP00	TOTAL EMERGENCY ROOM DR EXP 00	Sum of ERDXP00X from EROM records	1808	1808	3649657787.23	3649307985.18	168.44	168.43
19.16	ERDTCH00	ER DOCTOR VISIT CHARGES 00	Sum of ERDTC00X from EROM records	2060	2060	7935384179.26	7935020591.67	322.35	322.33
19.17	ERDSLFO0	ER-SELF/FAMILY AMT - DR 00	Sum of ERDSF00X from EROM records	473	473	532051424.13	531967273.97	90.18	90.16
19.18	ERDMCR00	ER-MEDICARE AMT - DR 00	Sum of ERDMR00X from EROM records	401	401	696198530.22	696142991.97	140.76	140.75

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
19.19	ERDMCD00	ER-MEDICAID AMT - DR 00	Sum of ERDMD00X from EROM records	351	351	279695837.12	279517844.15	80.44	80.39
19.20	ERDPRV00	ER-PRIVATE INS AMT - DR 00	Sum of ERDPV00X from EROM records	956	956	1843902626.47	1843682716.72	149.73	149.71
19.21	ERDVA00	ER-VA AMT - DR 00	Sum of ERDVA00X from EROM records	10	10	7056077.71	7056657.75	67.39	67.39
19.22	ERDTRI00	ER-TRICARE AMT - DR 00	Sum of ERDTR00X from EROM records	10	10	12955999.77	12941426.42	76.61	76.53
19.23	ERDOFD00	ER-OTHER FED AMT - DR 00	Sum of ERDOF00X from EROM records	2	2	7902743.50	7902743.50	367.66	367.66
19.24	ERDSTL00	ER-OTH ST/LOCAL AMT - DR 00	Sum of ERDSL00X from EROM records	18	18	17130106.25	17130882.66	81.64	81.64
19.25	ERDWCP00	ER-WORKERS COMP AMT - DR 00	Sum of ERDWC00X from EROM records	44	44	82648045.17	82659545.22	155.48	155.50
19.26	ERDOPR00	ER - OTHER PRIVATE AMT - DR 00	Sum of ERDOR00X from EROM records	119	119	125507369.22	125485321.24	88.54	88.52
19.27	ERDOPU00	ER - OTHER PUBLIC AMT - DR 00	Sum of ERDOU00X from EROM records	26	26	29741825.44	29745032.71	136.63	136.64
19.28	ERDOSR00	ER-OTH UNCLASS SRCE AMT - DR 00	Sum of ERDOT00X from EROM records	10	10	15066239.40	15075548.87	130.57	130.65

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.0	IPZERO00	# ZERO-NIGHT HOSPITAL STAYS 00	Count of STAZ records with NUMNIGHX = 0	112	112	1533210.20	1533210.20	1.14	1.14
20.1	ZIFTCH00	ZERO-NITE IP STAY CHARGES - FAC 00	Sum of IPFTC00X from STAZ records with NUMNIGHX = 0	111	111	7359282319.10	7359229145.47	5532.76	5532.72
20.2	ZIFEXP00	TOTAL ZERO- NITE STAYS FAC EXP 00	Sum of IPFXP00X from STAZ records with NUMNIGHX=0	105	105	3179374528.44	3179359751.95	2514.52	2514.50
20.3	ZIFSLF00	ZERO-NITE IP STAZ -SELF/FAM AMT-FAC 00	Sum of IPFSF00X from STAZ records with NUMNIGHX = 0	32	32	85616409.99	85594949.12	197.56	197.51
20.4	ZIFMCR00	ZERO-NITE IP STAZ-MEDICARE AMT-FAC 00	Sum of IPFMR00X from STAZ records with NUMNIGHX = 0	22	22	792710703.04	792690598.24	3249.48	3249.40
20.5	ZIFMCD00	ZERO-NITE IP STAZ-MEDICAID AMT-FAC 00	Sum of IPFMD00X from STAZ records with NUMNIGHX = 0	12	12	314801224.79	314795391.04	2016.00	2015.97
20.6	ZIFPRV00	ZERO-NITE IP STAZ-PRIV INS AMT-FAC 00	Sum of IPFPV00X from STAZ records with NUMNIGHX = 0	68	69	1560801595.36	1560825006.52	1813.93	1794.28
20.7	ZIFVA00	ZERO-NITE IP STAZ-VA AMT- FAC 00	Sum of IPFVA00X from STAZ records with NUMNIGHX = 0	3	3	126923213.47	126923115.41	2712.71	2712.70
20.8	ZIFTRI00	ZERO-NITE IP STAZ-TRICARE AMT-FAC 00	Sum of IPFTR00X from STAZ records with NUMNIGHX = 0	1	1	21302051.87	21299922.37	3001.00	3000.70

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.9	ZIFOFD00	ZERO-NITE IP STAZ-OTHER FED AMT-FAC 00	Sum of IPFOF00X from STAZ records with NUMNIGHX = 0	1	1	42251923.57	42253460.01	5225.00	5225.19
20.10	ZIFSTL00	ZERO-NITE IP STAZ-OTH ST/LOC AMT-FAC 00	Sum of IPFSL00X from STAZ records with NUMNIGHX = 0	1	1	2556464.60	2556887.15	363.00	363.06
20.11	ZIFWCP00	ZERO-NITE IP STAZ-WRKERS COMP AMT-FAC 00	Sum of IPFWC00X from STAZ records with NUMNIGHX = 0	2	2	25087559.96	25088025.11	1373.05	1373.07
20.12	ZIFOPR00	ZERO-NITE IP STAZ-OTH PRIVATE AMT- FAC 00	Sum of IPFOR00X from STAZ records with NUMNIGHX = 0	6	6	138193349.42	138194380.92	1962.73	1962.75
20.13	ZIFOPU00	ZERO-NITE IP STAZ-OTH PUBLIC AMT-FAC 00	Sum of IPFOU00X from STAZ records with NUMNIGHX = 0	1	1	69137157.40	69138016.06	8857.00	8857.11
20.14	ZIFOSR00	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-FAC 00	Sum of IPFOT00X from STAZ records with NUMNIGHX = 0	0	0	0	0	0	0
20.15	ZIDEXP00	TOTAL ZERO- NITE STAZ DR 00	Sum of IPDXP00X from STAZ records with NUMNIGHX = 0	79	79	1182810843.29	1182764221.04	1263.75	1263.70

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.16	ZIDTCH00	ZERO-NITE IP STAY CHARGES - DR 00	Sum of IPDTC00X from STAZ records with NUMNIGHX=0	82	82	2308374273.28	2308344817.98	2353.30	2353.27
20.17	ZIDSLF00	ZERO-NITE IP STAZ-SELF/FAM AMT-DR 00	Sum of IPDSF00X from STAZ records with NUMNIGHX = 0	26	26	40591198.16	40574081.21	133.09	133.04
20.18	ZIDMCR00	ZERO-NITE IP STAZ-MEDICARE AMT-DR 00	Sum of IPDMR00X from STAZ records with NUMNIGHX = 0	15	15	138849292.86	138848178.26	874.67	874.67
20.19	ZIDMCD00	ZERO-NITE IP STAZ-MEDICAID AMT-DR 00	Sum of IPDMD00X from STAZ records with NUMNIGHX = 0	9	9	64140482.31	64151408.61	521.65	521.73
20.20	ZIDPRV00	ZERO-NITE IP STAZ-PRIV INS AMT-DR 00	Sum of IPDPV00X from STAZ records with NUMNIGHX = 0	54	54	717626035.59	717609155.76	1111.60	1111.57
20.21	ZIDVA00	ZERO-NITE IP STAZ-VA AMT-DR 00	Sum of IPDVA00X from STAZ records with NUMNIGHX = 0	2	2	14064179.26	14068540.24	1161.00	1161.36
20.22	ZIDTRI00	ZERO-NITE IP STAZ-TRICARE AMT-DR 00	Sum of IPDTR00X from STAZ records with NUMNIGHX = 0	1	1	6069061.76	6070623.39	855.00	855.22
20.23	ZIDOFD00	ZERO-NITE IP STAZ-OTHER FED AMT-DR 00	Sum of IPDOF00X from STAZ records with NUMNIGHX = 0	0	0	0	0	0	0
20.24	ZIDSTL00	ZERO-NITE IP STAZ-OTH ST/LOC AMT-DR 00	Sum of IPDSL00X from STAZ records with NUMNIGHX = 0	0	0	0	0	0	0

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
20.25	ZIDWCP00	ZERO-NITE IP STAZ-WRKERS COMP AMT-DR 00	Sum of IPDWC00X from STAZ records with NUMNIGHX = 0	3	3	140961404.99	140950391.00	4017.26	4016.95
20.26	ZIDOPR00	ZERO-NITE IP STAZ-OTH PRIVATE AMT-DR 00	Sum of IPDOR00X from STAZ records with NUMNIGHX = 0	7	7	45485275.97	45492257.33	707.79	707.90
20.27	ZIDOPU00	ZERO-NITE IP STAZ-OTH PUBLIC AMT-DR 00	Sum of IPDOU00X from STAZ records with NUMNIGHX = 0	2	2	15002084.70	14999585.24	712.34	712.22
20.28	ZIDOSR00	ZERO-NITE IP STAZ-UNCLAS SRCE AMT-DR 00	Sum of IPDOT00X from STAZ records with NUMNIGHX = 0	0	0	0	0	0	0
21.0	IPDIS00	# HOSPITAL DISCHARGES, 1009	Count of STAZ records	1808	1808	28344306.77	28344306.77	1.32	1.32
21.1	IPFTCH00	IP HOSP STAY CHARGES - FAC 00	Sum of IPFTC00X from STAZ records	1804	1804	419650800987.77	419650774686.56	19577.94	19577.94
21.2	IPFEXP00	TOT HOSP IP FACILITY EXP-INC 0 NITES 00	Sum of IPFXP00X from STAZ records	1719	1719	198772009894.58	198771560580.40	9682.36	9682.34
21.3	IPFSLF00	IP HOSP STAZ- SELF/FAMILY AMT-FAC 00	Sum of IPFSF00X from STAZ records	519	520	3955849131.08	3955742843.36	627.78	626.78

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.4	IPFMCR00	IP HOSP STAZ- MEDICARE AMT- FAC 00	Sum of IPFMR00X from STAZ records	561	561	73729643614.62	73729437651.50	10987.09	10987.05
21.5	IPFMCD00	IP HOSP STAZ- MEDICAID AMT- FAC 00	Sum of IPFMD00X from STAZ records	346	346	19767709362.96	19767562411.10	5431.94	5431.90
21.6	IPFPRV00	IP HOSP STAZ- PRIV INS AMT- FAC 00	Sum of IPFPV00X from STAZ records	899	900	76891255124.19	76891159525.83	6725.91	6720.36
21.7	IPFVA00	IP HOSP STAZ-VA AMT-FAC 00	Sum of IPFVA00X from STAZ records	36	36	12344623296.10	12344686602.57	22786.54	22786.65
21.8	IPFTRI00	IP HOSP STAZ- TROCARE AMT- FAC 00	Sum of IPFTR00X from STAZ records	7	7	243854899.68	243826690.58	2295.54	2295.28
21.9	IPFOFD00	IP HOSP STAZ- OTHER FED AMT- FAC 00	Sum of IPFOF00X from STAZ records	7	7	226795997.39	226817175.86	3281.73	3282.04
21.10	IPFSTL00	IP HOSP STAZ- OTH ST/LOCAL AMT-FAC 00	Sum of IPFSL00X from STAZ records	8	8	316147360.74	316143949.79	4388.60	4388.55
21.11	IPFWCP00	IP HOSP STAZ- WORKERS COMP AMT-FAC 00	Sum of IPFWC00X from STAZ records	33	33	3981106586.10	3981085240.00	10327.78	10327.72
21.12	IPFOPR00	IP HOSP STAZ - OTH PRIVATE AMT-FAC 00	Sum of IPFOR00X from STAZ records	96	96	4100415844.77	4100456501.78	3401.26	3401.29

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.13	IPFOPU00	IP HOSP STAZ - OTH PUBLIC AMT- FAC 00	Sum of IPFOU00X from STAZ records	38	38	2591658995.95	2591644473.01	8602.70	8602.65
21.14	IPFOSR00	IP HOSP STAZ-OT UNCLASS SRCE AMT-FAC 00	Sum of IPFOT00X from STAZ records	15	15	623024185.76	622997515.03	2722.59	2722.48
21.15	IPDEXP00	TOTL HOSP STAZ DR EXP 00	Sum of IPDXP00X from STAZ records	1526	1526	31456914308.74	31456857086.67	1732.03	1732.03
21.16	IPDTCH00	IP HOSP STAY CHARGES - DR 00	Sum of IPDTC00X from STAZ records	1585	1585	67393871802.03	67393492784.81	3585.84	3585.82
21.17	IPDSLF00	IP HOSP STAZ- SELF/FAMILY AMT-DR 00	Sum of IPDSF00X from STAZ records	446	446	1105901653.12	1105775804.25	199.00	198.98
21.18	IPDMCR00	IP HOSP STAZ- MEDICARE AMT- DR 00	Sum of IPDMR00X from STAZ records	561	561	8812861586.56	8812986424.25	1318.61	1318.63
21.19	IPDMCD00	IP HOSP STAZ- MEDICAID AMT- DR 00	Sum of IPDMD00X from STAZ records	373	375	2902144701.37	2902218660.07	742.09	738.44
21.20	IPDPRV00	IP HOSP STAZ- PRIV INS AMT- DR 00	Sum of IPDPV00X from STAZ records	874	874	16415759309.89	16415817409.18	1508.29	1508.30
21.21	IPDVA00	IP HOSP STAZ-VA AMT-DR 00	Sum of IPDVA00X from STAZ records	23	23	290682018.44	290653855.80	1089.61	1089.51
21.22	IPDTRI00	IP HOSP STAZ- TRICARE AMT-DR 00	Sum of IPDTR00X from STAZ records	4	4	142901404.16	142890354.33	1861.98	1861.84

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
21.23	IPDOFD00	IP HOSP STAZ- OTHER FED AMT- DR 00	Sum of IPDOF00X from STAZ records	0	0	0	0	0	0
21.24	IPDSTL00	IP HOSP STAZ- OTH ST/LOCAL AMT-DR 00	Sum of IPDSL00X from STAZ records	6	6	52272668.25	52284718.72	1094.90	1095.15
21.25	IPDWCP00	IP HOSP STAZ- WORKERS COMP AMT-DR 00	Sum of IPDWC00X from STAZ records	29	29	768431197.57	768397990.42	2423.85	2423.74
21.26	IPDOPR00	IP HOSP STAZ - OTH PRIVATE AMT-DR 00	Sum of IPDOR00X from STAZ records	134	135	735832968.10	735795653.73	450.22	448.94
21.27	IPDOPU00	IP HOSP STAZ - OTH PUBLIC AMT- DR 00	Sum of IPDOU00X from STAZ records	50	50	207979023.15	207931864.75	446.84	446.74
21.28	IPDOSR00	IP HOSP STAZ-OT UNCLASS SORCE AMT-DR 00	Sum of IPDOT00X from STAZ records	3	3	22113090.35	22104351.17	396.56	396.41
21.29	IPNGTD00	# NIGHTS IN HOSP FOR DISCHARGES, 1009	Sum of NUMNIGHX from STAZ records. NOTE: If person has at least one STAZ record with NUMNIGHX = -9, then NUMNIGHX not counted from ANY STAZ records for that person.	1740	1740	164750108.19	164750108.19	8.01	8.01
22.0	DVTOT00	# DENTAL CARE VISITS 00	Count of DVIS records	9033	9033	287430257.82	287430257.82	2.48	2.48

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.1	DVTTC00	TOTAL DENTAL CARE VISIT CHARGES 00	Sum of DVTC00X from DVIS records	8942	8942	66348232107.80	66348248328.72	578.95	578.95
22.2	DVTEXP00	TOTAL DENTAL CARE EXP 00	Sum of DVXP00X from DVIS records	8712	8712	55550562494.70	55550457501.79	497.54	497.54
22.3	DVTSLF00	ALL DENTAL CARE - SELF/FAMILY AMT 00	Sum of DVSF00X from DVIS records	6043	6043	27405973726.46	27405818883.35	345.90	345.89
22.4	DVTMCR00	ALL DENTAL CARE -MEDICARE AMT 00	Sum of DVMR00X from DVIS records	92	92	275067582.50	275018522.22	246.84	246.79
22.5	DVTMCD00	ALL DENTAL CARE -MEDICAID AMT 00	Sum of DVMD00X from DVIS records	827	827	2239950827.13	2239868472.98	283.95	283.94
22.6	DVTPRV00	ALL DENTAL CARE -PRIVATE INS AMT 00	Sum of DVPV00X from DVIS records	4965	4965	23338852586.23	23338458288.28	346.57	346.57
22.7	DVTVA00	ALL DENTAL CARE-VA AMT 00	Sum of DVVA00X from DVIS records	129	129	289974053.03	289734737.42	172.48	172.33
22.8	DVTTRI00	ALL DENTAL CARE-TRICARE AMT 00	Sum of DVTR00X from DVIS records	31	31	106821556.81	106823644.43	252.07	252.07
22.9	DVTOFD00	ALL DENTAL CARE -OTHER FEDRL AMT 00	Sum of DVOF00X from DVIS records	31	31	85593888.51	85545652.17	250.95	250.81

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
22.10	DVTSTL00	ALL DENTAL CARE-OTH ST/LOCAL AMT 00	Sum of DVSL00X from DVIS records	61	61	139094596.11	139085637.41	261.30	261.29
22.11	DVTWCP00	ALL DENTAL CARE-WORKERS COMP AMT 00	Sum of DVWC00X from DVIS records	6	6	15895400.98	15892225.19	219.28	219.23
22.12	DVTOPR00	ALL DENTAL CARE - OTH PRIVATE AMT 00	Sum of DVOR00X from DVIS records	144	144	631676967.75	631658114.96	325.99	325.98
22.13	DVTOPU00	ALL DENTAL CARE - OTH PUBLIC AMT 00	Sum of DVOU00X from DVIS records	19	19	53524876.07	53520217.69	281.84	281.81
22.14	DVTOSR00	ALL DENT CARE- OT UNCLASS SRCE AMT 00	Sum of DVOT00X from DVIS records	232	233	969145312.72	969033105.68	334.62	334.02
23.0	DVGEN00	# GENERAL DENTIST VISITS 00	Count of DVIS records with GENDENT = 1 and ORTHODNT NE 1	8353	8353	218937004.70	218937004.70	2.04	2.04
23.1	DVGTCH00	GENERAL DENTAL CARE VISIT CHARGES 00	Sum of DVTC00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	8299	8299	44136358914.21	44136367386.47	413.37	413.37
23.2	DVGEXP00	TOTAL GENERAL DENTIST EXP 00	Sum of DVXP00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	8082	8082	37779364300.96	37779233484.93	363.33	363.33

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.3	DVGSLF00	GNRL DENTAL VISITS -SELF/FAM AMT 00	Sum of DVSF00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	5490	5490	18146566730.72	18146437467.37	250.69	250.68
23.4	DVGMCR00	GNRL DENTAL VISITS - MEDICARE AMT 00	Sum of DVMR00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	84	84	248082269.00	248054980.10	249.15	249.12
23.5	DVGMCD00	GNRL DENTAL VISITS -MEDICAID AMT 00	Sum of DVMD00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	757	757	1794669187.15	1794547816.59	249.12	249.10
23.6	DVGPRV00	GNRL DENTAL VISITS -PRIVATE INS AMT 00	Sum of DVPV00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	4580	4580	15706418396.08	15706074115.68	252.08	252.08
23.7	DVGVA00	GNRL DENTAL VISITS -VA AMT 00	Sum of DVVA00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	109	109	230471533.70	230278744.89	163.12	162.99
23.8	DVGTRI00	GNRL DENTAL VISITS-TRICARE AMT 00	Sum of DVTR00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	30	30	83426464.88	83428552.51	200.04	200.05
23.9	DVGOFD00	GNRL DENTAL VISITS- OTHER FED AMT 00	Sum of DVOF00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	25	25	76089701.39	76050683.30	280.27	280.13
23.10	DVGSTL00	GNRL DENTAL VISITS - OTH ST/LOCAL AMT 00	Sum of DVSL00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	53	53	73026755.73	73017797.03	158.27	158.25

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
23.11	DVGWCP00	GNRL DENTAL VISITS - WORKERS COMP AMT 00	Sum of DVWC00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	6	6	15895400.98	15892225.19	219.28	219.23
23.12	DVGOPR00	GNRL DENTAL VISITS - OTH PRIVATE AMT 00	Sum of DVOR00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	137	137	576950010.89	576928921.86	311.43	311.42
23.13	DVGOPU00	GNRL DENTAL VISITS - OTH PUBLIC AMT 00	Sum of DVOR00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	19	19	48728336.92	48735040.26	256.58	256.62
23.14	DVGOSR00	GNRL DENT VSTS - OT UNCLASS SRCE AMT 00	Sum of DVOT00X from DVIS records with GENDENT = 1 and ORTHODNT NE 1	206	207	779893086.44	779787140.17	301.34	300.73
24.0	DVORTH00	# ORTHODONTIST VISITS 00	Count of DVIS records with ORTHODNT = 1	685	685	40251535.26	40251535.26	4.53	4.53
24.1	DVOTCH00	ORTHODONTIST VISIT CHARGES 00	Sum of DVTC00X from DVIS records with ORTHODNT = 1	510	510	15442845741.77	15442845449.82	2368.54	2368.54
24.2	DVOEXP00	TOTAL ORTHODONTIST EXP 00	Sum of DVXP00X from DVIS records with ORTHODNT = 1	469	469	11789923892.43	11789925758.07	2000.64	2000.64
24.3	DVOSLF00	ORTHODONTIST VISITS - SELF/FAMILY AMT 00	Sum of DVSF00X from DVIS records with ORTHODNT = 1	354	354	6145528206.42	6145505298.69	1350.99	1350.98

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.4	DVOMCR00	ORTHODONTIST VISITS - MEDICARE AMT 00	Sum of DVMR00X from DVIS records with ORTHODNT = 1	1	1	175964.66	175964.66	100.00	100.00
24.5	DVOMCD00	ORTHODONTIST VISITS -MEDICAID AMT 00	Sum of DVMD00X from DVIS records with ORTHODNT = 1	38	38	335847663.96	335852268.82	940.02	940.03
24.6	DVOPRV00	ORTHODONTIST VISITS -PRIVATE INS AMT 00	Sum of DVPV00X from DVIS records with ORTHODNT = 1	232	232	5227655482.94	5227641688.43	1683.27	1683.27
24.7	DVOVA00	ORTHODONTIST VISITS-VA AMT 00	Sum of DVVA00X from DVIS records with ORTHODNT = 1	1	1	3370937.37	3370937.37	374.00	374.00
24.8	DVOTRI00	ORTHODONTIST VISITS-TRICARE AMT 00	Sum of DVTR00X from DVIS records with ORTHODNT = 1	1	1	15494613.33	15494613.33	1200.00	1200.00
24.9	DVOOFD00	ORTHODONTIST VISITS-OTHR FED AMT 00	Sum of DVOF00X from DVIS records with ORTHODNT = 1	2	2	4622839.03	4622839.03	334.04	334.04
24.10	DVOSTL00	ORTHODONTIST VISITS-OTHR ST/LOCAL AMT 00	Sum of DVSL00X from DVIS records with ORTHODNT = 1	0	0	0	0	0	0
24.11	DVOWCP00	ORTHODONTIST VISITS-WORKERS COMP AMT 00	Sum of DVWC00X from DVIS records with ORTHODNT = 1	0	0	0	0	0	0
24.12	DVOOPR00	ORTHODONTIST VISITS-OTHR PRIVATE AMT 00	Sum of DVOR00X from DVIS records with ORTHODNT = 1	4	4	26229857.07	26229857.07	467.41	467.41

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTED MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
24.13	DVOOPU00	ORTHODONTIST VISITS-OTHR PUBLIC AMT 00	Sum of DVOU00X from DVIS records with ORTHODNT = 1	1	1	384197.72	380975.41	31.00	30.74
24.14	DVOOSR00	ORTHODONT VSTS - OT UNCLASS SRCE AMT 00	Sum of DVOT00X from DVIS records with ORTHODNT = 1	11	11	30655129.48	30651315.25	331.06	331.02
25.1	HHTOTD00	# HOME HEALTH PROVIDER DAYS, 1009	Sum of HHDAYS from HVIS records. NOTE: If person has at least one HVIS record with HHDAYS = -9, then HHDAYS not counted from ANY HVIS records for that person.	444	444	397708364.26	397708364.26	76.38	76.38
26.1	HHAGD00	# AGENCY HOME HEALTH PROVIDER DAYS, 1009	Sum of HHDAYS from HVIS records with MPCELIG = 1. NOTE: If person has at least one HVIS record with (MPCELIG = 1 AND HHDAYS = -9) then HHDAYS not counted from ANY HVIS records for that person.	365	365	304960672.74	304960672.74	69.32	69.32
26.2	HHATCH00	HOME HEALTH AGENCY VISIT CHARGES 00	Sum of HHTC00X from HVIS records with MPCELIG = 1.	390	390	26622105923.43	26622021295.83	5631.25	5631.23
26.3	HHAEXP00	TOTAL HOME HEALTH AGENCY EXP 00	Sum of HHXP00X from HVIS records with MPCELIG = 1.	378	378	22436856554.07	22436909278.58	4868.09	4868.10

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.4	HHASLF00	HOME HLTH AGENCY - SELF/FAMILY AMT 00	Sum of HHSLF00X from HVIS records with MPCELIG = 1.	55	55	681161272.18	681115120.15	924.05	923.99
26.5	HHAMCR00	HOME HLTH AGENCY - MEDICARE AMT 00	Sum of HHMR00X from HVIS records with MPCELIG = 1.	172	172	6551261140.74	6551263685.74	3068.40	3068.40
26.6	HHAMCD00	HOME HLTH AGENCY - MEDICAID AMT 00	Sum of HHMD00X from HVIS records with MPCELIG = 1.	152	152	11887257066.25	11887295146.13	6832.53	6832.55
26.7	HHAPRV00	HOME HLTH AGENCY - PRIVATE INS AMT 00	Sum of HHPV00X from HVIS records with MPCELIG = 1.	59	59	902218163.40	902202812.63	1128.50	1128.48
26.8	HHAVA00	HOME HLTH AGENCY-VA AMT 00	Sum of HHVA00X from HVIS records with MPCELIG = 1.	6	6	193621967.88	193637839.25	1578.14	1578.27
26.9	HHATRI00	HOME HLTH AGENCY- TRICARE AMT 00	Sum of HHTR00X from HVIS records with MPCELIG = 1.	1	1	43156676.84	43164445.04	2000.00	2000.36
26.10	HHAOFD00	HOME HLTH AGENCY-OTHER FED AMT 00	Sum of HHOF00X from HVIS records with MPCELIG = 1.	8	8	1000567507.80	1000548217.52	7198.81	7198.68
26.11	HHASTL00	HOME HLTH AGENCY-OTHR ST/LOCAL AMT 00	Sum of HHSL00X from HVIS records with MPCELIG = 1.	72	72	1002566256.67	1002552266.84	1184.26	1184.25

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
26.12	HHAWCP00	HOME HLTH AGENCY- WORKERS COMP AMT 00	Sum of HHWC00X from HVIS records with MPCELIG = 1.	0	0	0	0	0	0
26.13	HHAOPR00	HOME HLTH AGENCY - OTH PRIVATE AMT 00	Sum of HHOR00X from HVIS records with MPCELIG = 1.	7	7	139451935.18	139451935.18	1416.87	1416.87
26.14	HHAOPU00	HOME HLTH AGENCY - OTH PUBLIC AMT 00	Sum of HHOU00X from HVIS records with MPCELIG = 1.	3	3	27990355.72	27990693.07	983.18	983.19
26.15	HHAOSR00	H HLTH AGENCY - OT UNCLASS SRCE AMT 00	Sum of HHOT00X from HVIS records with MPCELIG = 1.	1	1	7689388.64	7687117.03	677.00	676.80
27.1	HHINDD00	# NON-AGENCY HOME HEALTH PROVIDR DAYS 00	Sum of HHDDAYS from HVIS records with MPCELIG = 2. NOTE: If person has at least one HVIS record with (MPCELIG = 2 AND HHDDAYS = -9), then HHDDAYS not counted from ANY HVIS records for that person.	47	47	42645687.21	42645687.21	80.22	80.22
27.2	HHNTCH00	HOME HEALTH NON-AGENCY VISIT CHARGES 00	Sum of HHTC00X from HVIS records with MPCELIG = 2	59	59	3360986953.10	3360986953.10	5194.85	5194.85

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.3	HHNEXP00	TOTAL HOME HEALTH NON- AGNCY EXP 00	Sum of HHXP00X from HVIS records with MPCELIG = 2	58	58	3203431995.40	3203423154.01	5137.61	5137.60
27.4	HHNSLF00	HOME HLTH NON- AGNCY - SELF/FAM AMT 00	Sum of HHSF00X from HVIS records with MPCELIG = 2	43	43	2487260624.52	2487260624.52	5564.32	5564.32
27.5	HHNMCR00	HOME HLTH NON- AGNCY - MEDICARE AMT 00	Sum of HHMR00X from HVIS records with MPCELIG = 2	5	5	22099850.26	22099850.26	519.24	519.24
27.6	HHNMCD00	HOME HLTH NON- AGNCY - MEDICAID AMT 00	Sum of HHMD00X from HVIS records with MPCELIG = 2	8	8	480476975.27	480468133.88	5111.53	5111.44
27.7	HHNPRV00	HOME HLTH NON- AGNCY -PRIV INS AMT 00	Sum of HHPV00X from HVIS records with MPCELIG = 2	5	5	125184810.36	125184810.36	2633.33	2633.33
27.8	HHNVA00	HOME HLTH NON- AGNCY-VA AMT 00	Sum of HHVA00X from HVIS records with MPCELIG = 2	3	3	55443492.60	55443492.60	1480.94	1480.94
27.9	HHNTRI00	HOME HLTH NON- AGNCY-TRICARE AMT 00	Sum of HHTR00X from HVIS records with MPCELIG = 2	0	0	0	0	0	0
27.10	HHNOFD00	HOME HLTH NON- AGNCY-OTHR FED AMT 00	Sum of HHOF00X from HVIS records with MPCELIG = 2	0	0	0	0	0	0
27.11	HHNSTL00	HOME HLTH NON- AGNCY-OTHR ST/LOCL AMT 00	Sum of HHSL00X from HVIS records with MPCELIG = 2	2	2	31559439.11	31559439.11	1218.90	1218.90

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
27.12	HHNWCP00	HOME HLTH NON- AGNCY- WORKERS COMP AMT 00	Sum of HHWC00X from HVIS records with MPCELIG = 2	0	0	0	0	0	0
27.13	HHNOPR00	HOME HLTH NON- AGNCY-OTH PRIVATE AMT 00	Sum of HHOR00X from HVIS records with MPCELIG = 2	1	1	139115.08	139115.08	40.00	40.00
27.14	HHNOPU00	HOME HLTH NON- AGNCY-OTH PUBLIC AMT 00	Sum of HHOU00X from HVIS records with MPCELIG = 2	0	0	0	0	0	0
27.15	HHNOSR00	H HLTH NON- AGNCY-OT UNCLASS SRCE AMT 00	Sum of HHOT00X from HVIS records with MPCELIG = 2	2	2	1267688.19	1267688.19	37.60	37.60
28.1	HHINFD00	# INFORMAL HOME HEALTH PROV DAYS, 1009	Sum of HHDAYS from HVIS records with MPCELIG = 3. NOTE: If person has at least one HVIS record with (MPCELIG = 3 AND HHDAYS = -9), then HHDAYS not counted from ANY HVIS records for that person.	78	78	66002913.92	66002913.92	85.44	85.44
29.0	VISTCH00	GLASSES/CONTA CT LENSES CHARGES 00	Sum of OMTC00X from OMED records with OMTYPEX = 1	3457	3457	9905855828.78	9905855888.32	225.65	225.65

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.1	VISEXP00	TOTAL GLASSES/CONTA CT LENS EXPN 00	Sum of OMXP00X from OMED records with OMTYPEX = 1	3414	3414	9287485618.61	9287406153.71	214.15	214.15
29.2	VISSLF00	GLASSES/CNTCT LENSES - SELF/FAM AMT 00	Sum of OMSF00X from OMED records with OMTYPEX = 1	2989	2989	7099691873.15	7099657311.47	183.56	183.56
29.3	VISMCR00	GLASSES/CNTCT LENSES- MEDICARE AMT 00	Sum of OMMR00X from OMED records with OMTYPEX = 1	69	69	98565391.10	98549963.84	119.90	119.88
29.4	VISMCD00	GLASSES/CNTCT LENSES- MEDICAID AMT 00	Sum of OMMD00X from OMED records with OMTYPEX = 1	260	260	391532970.93	391466244.35	157.01	156.98
29.5	VISPRV00	GLASSES/CNTCT LENSES-PRIV INS AMT 00	Sum of OMPV00X from OMED records with OMTYPEX = 1	757	757	1532933732.92	1532901170.89	153.43	153.43
29.6	VISVA00	GLASSES/CNTCT LENSES-VA AMT 00	Sum of OMVA00X from OMED records with OMTYPEX = 1	28	28	32472307.88	32457906.96	114.80	114.75
29.7	VISTRIO0	GLASSES/LENSE S-TRICARE AMT 00	Sum of OMTR00X from OMED records with OMTYPEX = 1	2	2	2738452.61	2744297.54	85.13	85.31
29.8	VISOFD00	GLASSES/CNTCT LENSES-OTHR FED AMT 00	Sum of OMOF00X from OMED records with OMTYPEX = 1	7	7	15706027.20	15711872.13	168.02	168.09
29.9	VISSTL00	GLASSES/CNTCT LENSES-OTH ST/LOCL AMT 00	Sum of OMSL00X from OMED records with OMTYPEX = 1	5	5	3250163.94	3250163.94	107.69	107.69

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
29.10	VISWCP00	GLASSES/CNTCT LENSES- WORKERS COMP AMT 00	Sum of OMWC00X from OMED records with OMTYPEX = 1	2	2	4713495.10	4713495.10	150.54	150.54
29.11	VISOPR00	GLASSES/CNTCT LENSES-OTH PRIVATE AMT 00	Sum of OMOR00X from OMED records with OMTYPEX = 1	28	28	55970940.03	55970749.45	161.99	161.99
29.12	VISOPU00	GLASSES/CNTCT LENSES-OTH PUBLIC AMT 00	Sum of OMOU00X from OMED records with OMTYPEX = 1	8	8	15506090.15	15491227.31	154.82	154.67
29.13	VISOSR00	GLASES/CNTCT LENSE-OT UNCLAS SRCE AMT 00	Sum of OMOT00X from OMED records with OMTYPEX = 1	29	29	34499731.63	34491750.74	104.98	104.96
30.0	OTHTCH00	OTHER EQUIP/SUPPLIES CHARGES 00	Sum of OMTC00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	890	890	5101954057.42	5101929685.81	452.09	452.09
30.1	OTHEXP00	TOT OTH EQUIP/SPLY (EXCL DIAB) EXP 00	Sum of OMXP00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	808	808	4124447271.55	4124364984.53	399.39	399.38
30.2	OTHSLF00	OTHER EQUIP/SUPPLIES - SELF/FAM AMT 00	Sum of OMSF00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	509	509	2456840392.06	2456784965.90	375.36	375.35

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.3	OTHMCR00	OTHER EQUIP/SUPPLIES- MEDICARE AMT 00	Sum of OMMR00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	94	94	299845982.42	299808684.80	269.77	269.73
30.4	OTHMCD00	OTHER EQUIP/SUPPLIES- MEDICAID AMT 00	Sum of OMMD00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	117	117	512422603.93	512365381.07	383.87	383.83
30.5	OTHPRV00	OTHER EQUIP/SUPPLIES- PRIV INS AMT 00	Sum of OMPV00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	209	209	597941832.70	597869610.30	209.42	209.40
30.6	OTHVA00	OTHER EQUIP/SUPPLY-VA AMT 00	Sum of OMVA00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	46	46	160342893.99	160330701.86	258.21	258.19
30.7	OTHTRI00	OTHER EQUIP/SUPPLY- TRICARE AMT 00	Sum of OMTR00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	2	2	10947686.99	10947686.99	577.86	577.86
30.8	OTHOFD00	OTHER EQUIP/SUPPLIES- OTHR FEDRL AMT 00	Sum of OMOF00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1	1	3539492.48	3539492.48	480.00	480.00
30.9	OTHSTL00	OTHER EQUIP/SUPPLY- OTHR ST/LOCAL AMT 00	Sum of OMSL00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	1	1	345013.02	345013.02	35.00	35.00

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
30.10	OTHWCP00	OTHER EQUIP/SUPPLY - WORKERS COMP AMT 00	Sum of OMWC00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	13	13	25348068.83	25348068.83	148.53	148.53
30.11	OTHOPR00	OTHER EQUIP/SUPPLY- OTH PRIVATE AMT 00	Sum of OMOR00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	12	12	40527441.81	40515281.49	227.12	227.06
30.12	OTHOPU00	OTHER EQUIP/SUPPLY - OTH PUBLIC AMT 00	Sum of OMOU00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	2	2	6649819.22	6655826.18	159.38	159.53
30.13	OTHOSR00	OTH EQUIP/SUPLY -OT UNCLASS SRCE AMT 00	Sum of OMOT00X from OMED records with OMTYPEX = (4, 5, 6, 7, 8, 9, 10, 11 or 91)	8	8	9860201.81	9854271.62	77.59	77.54
31.0	RXTOT00	# PRESC MEDS INCL REFILLS 00	Count of PMED records	14442	14442	2166933731.52	2166933731.52	12.50	12.50
31.1	RXEXP00	TOTAL RX-EXP 00	Sum of RXXP00X from PMED records	14442	14442	102992236166.13	102990924827.06	594.24	594.23
31.2	RXSLF00	TOTAL RX- SELF/FAMILY AMT 00	Sum of RXSF00X from PMED records	13708	13720	47505759227.07	47503543611.17	285.29	285.07
31.3	RXMCR00	TOTAL RX-- MEDICARE AMT 00	Sum of RXMR00X from PMED records	782	782	4702135757.59	4701963406.32	530.66	530.64
31.4	RXMCD00	TOTAL RX- MEDICAID AMT 00	Sum of RXMD00X from PMED records	1944	1944	11511533571.81	11511547719.70	649.57	649.57

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

#	(A) VARIABLE NAME ON PERSON- LEVEL FILE	(B) VARIABLE LABEL ON PERSON LEVEL FILE	(C) TECHNICAL SPECIFICATION FOR CONSTRUCTION OF PERSON-LEVEL VARIABLE FROM EVENT- LEVEL FILE	(D) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WEIGHT > 0 FROM PERSON- LEVEL FILE	(E) UN- WEIGHTED # PERS WITH VARIABLE > 0 & WITH WEIGHT > 0 FROM EVENT- LEVEL FILE	(F) WEIGHTED SUM OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(G) WEIGHTED SUM OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0	(H) WEIGHTED MEAN OF VARIABLE FROM PERSON- LEVEL FILE FOR PERS WITH VARIABLE > 0	(I) WEIGHTE D MEAN OF VARIABLE FROM EVENT- LEVEL FILE FOR PERS WITH VARIABLE > 0
31.5	RXPRV00	TOTAL RX- PRIVATE INS AMT 00	Sum of RXPV00X from PMED records	7547	7625	34657909152.49	34658116543.62	353.49	349.89
31.6	RXVA00	TOTAL RX-VA AMT 00	Sum of RXVA00X from PMED records	545	545	3343469292.08	3343348415.21	491.30	491.29
31.7	RXTRI00	TOTAL RX- TRICARE AMT 00	Sum of RXTR00X from PMED records	69	69	275691652.61	275720304.44	329.48	329.51
31.8	RXOFD00	TOTAL RX-OTHER FED AMT 00	Sum of RXOF00X from PMED records	13	13	29341783.54	29324276.57	165.81	165.71
31.9	RXSTL00	TOTAL RX-OTHER ST/LOCAL AMT 00	Sum of RXSL00X from PMED records	80	80	338956345.70	338941012.43	418.94	418.92
31.10	RXWCP00	TOTAL RX- WORKERS COMP AMT 00	Sum of RXWC00X from PMED records	15	15	58611778.13	58596786.18	443.04	442.93
31.11	RXOPR00	TOTAL RX - OTH PRIVATE AMT 00	Sum of RXOR00X from PMED records	136	138	460910574.86	460874445.27	308.69	305.56
31.12	RXOPU00	TOTAL RX - OTH PUBLIC AMT 00	Sum of RXOU00X from PMED records	16	16	33881226.39	33898543.07	232.14	232.26
31.13	RXOSR00	TOT RX-OTH UNCLASS SRCE AMT 00	Sum of RXOT00X from PMED records	15	15	75050941.55	75049763.09	487.94	487.93

TABLE H51IT2
COMPARISON OF MEPS 2000 HEALTH CARE EXPENDITURE ESTIMATES
FROM THE FY 00 PERSON-LEVEL FILE (HC-050) AND THE FY 00 EVENT FILES (HC-051A THROUGH HC-051H)
WEIGHT = PERWT00F

ABBREVIATIONS USED IN TABLE:

PMED = PRESCRIBED MEDICINES FILE, HC-051A

DVIS = DENTAL VISITS FILE, HC-051B

OMED = OTHER MEDICAL EXPENSES FILE, HC-051C

STAZ = HOSPITAL INPATIENT STAYS FILE, HC-051D

EROM = EMERGENCY ROOM VISITS FILE, HC-051E

OPAT = OUTPATIENT VISITS FILE, HC-051F

MVIS = MEDICAL PROVIDER VISITS FILE, HC-051G

HVIS = HOME HEALTH VISITS FILE, HC-051H

TABLE NOTES:

- (A) EXPENDITURE VARIABLES ON THE EVENT-LEVEL FILES INCLUDE 2 DECIMAL PLACES. THE EXPENDITURE VARIABLES ON THE PERSON-LEVEL FILE REFLECT ROUNDING TO A WHOLE NUMBER AFTER SUMMING FROM THE EVENT-LEVEL TO THE PERSON-LEVEL. THIS RESULTS IN SLIGHT DIFFERENCES IN THE UNWEIGHTED COUNT OF PERSONS WITH A POSITIVE VALUE FOR SOME VARIABLES, AND IN THE WEIGHTED SUM AND WEIGHTED MEAN FOR MOST VARIABLES.